

NAIL HAMMERS

AMERICAN STEEL, FORGED IN ONE PIECE AND ARE AVAILABLE WITH OUR PATENTED SHOCK REDUCTION GRIP® OR GENUINE LEATHER GRIP. TOOL SIZES AND SPECIFICATIONS BEGIN ON PAGE 40.



RIP HAMMER
Shock Reduction Grip
~ 12 oz., 16 oz., 20 oz. ~
No. E3-12S, E3-16S, E3-20S



CLAW HAMMER
Shock Reduction Grip
~ 12 oz., 16 oz. ~
No. E3-12C, E3-16C



RIP HAMMER
Genuine Leather
~ 12 oz., 16 oz., 20 oz. ~
No. E12S, E16S, E20S



CLAW HAMMER
Genuine Leather
~ 12 oz., 16 oz., 20 oz. ~
No. E12C, E16C, E20C



HAMMERTOOTH®
Shock Reduction Grip
~ 22 oz., 24 oz. ~
No. E6-22T, E6-22TM, E6-24T, E6-24TM



FRAMING HAMMER
Shock Reduction Grip
~ 20 oz., 22 oz., 24 oz., 28 oz., 30 oz. ~
No. E3-20SM, E3-22CMR, E22CR,
E3-22CM, E3-22C, E3-22SMR, E3-22SR,
E3-22SM, E3-22S, E3-24SM, E3-24S,
E3-28SM, E3-28S, E3-30SM, E3-30S



BUILDER SERIES
FRAMING HAMMER
Shock Reduction Grip
~ 25 oz. Smooth or Milled ~
No. E3-25S, E3-25SM

TOOL SPECIFICATIONS

Page 7	Item No.	Description	Country of Origin
	E3-12S	Rip Claw Hammer	U.S.A.
	E3-16S	Rip Claw Hammer	U.S.A.
	E3-20S	Rip Claw Hammer	U.S.A.
	E3-12C	Curve Claw Hammer	U.S.A.
	E3-16C	Curve Claw Hammer	U.S.A.
	E12S	Rip Claw Hammer	U.S.A.
	E16S	Rip Claw Hammer	U.S.A.
	E20S	Rip Claw Hammer	U.S.A.
	E12C	Curve Claw Hammer	U.S.A.
	E16C	Curve Claw Hammer	U.S.A.
	E20C	Curve Claw Hammer	U.S.A.
	E6-22T	Hammertooth® Hammer	U.S.A.
	E6-22TM	Hammertooth® Hammer	U.S.A.
	E6-24T	Hammertooth® Hammer	U.S.A.
	E6-24TM	Hammertooth® Hammer	U.S.A.
	E3-20SM	Rip Claw Framing Hammer	U.S.A.
	E3-22C	Curve Claw Framing Hammer	U.S.A.
	E3-22CM	Curve Claw Framing Hammer	U.S.A.
	E3-22CMR	Curve Claw Framing Hammer	U.S.A..
	E3-22CR	Curve Claw Framing Hammer	U.S.A.
	E3-22S	Rip Claw Framing Hammer	U.S.A.
	E3-22SM	Rip Claw Framing Hammer	U.S.A.
	E3-22SMR	Rip Claw Framing Hammer	U.S.A.
	E3-22SR	Rip Claw Framing Hammer	U.S.A.
	E3-24S	Rip Claw Framing Hammer	U.S.A.
	E3-24SM	Rip Claw Framing Hammer	U.S.A.
	E3-28S	Rip Claw Framing Hammer	U.S.A.
	E3-28SM	Rip Claw Framing Hammer	U.S.A.
	E3-30S	Rip Claw Framing Hammer	U.S.A.
	E3-30SM	Rip Claw Framing Hammer	U.S.A.
	E3-25S	Rip Claw Framing Hammer	U.S.A.
	E3-25SM	Rip Claw Framing Hammer	U.S.A.

Handle Grip	Face Finish	Length approx. (in.)	Head Weight approx. (oz)	UPC	Inner Box Qty.
Blue Shock Reduction Grip	Smooth	10.75	12	034139623014	4
Blue Shock Reduction Grip	Smooth	13	16	034139623816	4
Blue Shock Reduction Grip	Smooth	13.75	20	034139625018	4
Blue Shock Reduction Grip	Smooth	10.75	12	034139622611	2
Blue Shock Reduction Grip	Smooth	13	16	034139623618	2
Genuine Leather	Smooth	11	12	034139611011	4
Genuine Leather	Smooth	12.5	16	034139611615	4
Genuine Leather	Smooth	13.5	20	034139612216	2
Genuine Leather	Smooth	11	12	034139610816	4
Genuine Leather	Smooth	12.5	16	034139611417	4
Genuine Leather	Smooth	13.5	20	034139612018	4
Blue Shock Reduction Grip	Smooth	13.75	22	034139627111	4
Blue Shock Reduction Grip	Milled	13.75	22	034139626916	4
Blue Shock Reduction Grip	Smooth	16	24	034139628163	4
Blue Shock Reduction Grip	Milled	16	24	034139628118	2
Blue Shock Reduction Grip	Milled	13.75	20	034139625216	4
Blue Shock Reduction Grip	Smooth	16	22	034139625414	4
Blue Shock Reduction Grip	Milled	16	22	034139625612	4
Blue Shock Reduction Grip	Milled	13.75	22	034139625810	4
Blue Shock Reduction Grip	Smooth	13.75	22	034139626015	4
Blue Shock Reduction Grip	Smooth	16	22	034139626411	4
Blue Shock Reduction Grip	Milled	16	22	034139626619	4
Blue Shock Reduction Grip	Milled	13.75	22	034139626817	4
Blue Shock Reduction Grip	Smooth	13.75	22	034139627012	4
Blue Shock Reduction Grip	Smooth	16	24	034139628019	4
Blue Shock Reduction Grip	Milled	16	24	034139628217	4
Blue Shock Reduction Grip	Smooth	16	28	034139628811	2
Blue Shock Reduction Grip	Milled	16	28	034139629016	4
Blue Shock Reduction Grip	Smooth	16	30	034139629214	4
Blue Shock Reduction Grip	Milled	16	30	034139629412	4
Blue Shock Reduction Grip	Smooth	18	25	034139628262	4
Blue Shock Reduction Grip	Milled	18	25	034139628316	2