






PROFESSIONAL TILING TOOLS



FOR THE PERFECT PROFESSIONAL TILE INSTALLATION



TOOLS FOR THE PROFESSIONAL USER



For trade professionals who demand top-tier performance and durability, the Vitrex Xtreme Pro-Series delivers. Engineered in collaboration with installers, this upgraded range features innovative design elements, enhanced functionality, and rugged construction tailored specifically for the demands of the jobsite. Every tool in the Pro-Series is built to perform - day in, day out.

CONTENTS



STEP 1 PREPARE

PREPARE THE TILING SURFACE

PAGES 3 - 5

The preparation stage is essential to delivering a high-quality tile installation. Our preparation process also includes the specialised tools you need to properly prepare grout for regrouting or grout refresh, ensuring a clean, lasting finish every time.



STEP 2 CUT

MEASURE AND CUT TILES TO SIZE

PAGES 6 - 7

When choosing a tile cutter, consider the material and format of the tiles you're working with. Vitrex Xtreme Manual Tile Cutters are built for precision cutting on ceramic and porcelain, making them ideal for day-to-day site work. For natural stone or large-format tiles, step up to an Electric Wet Saw or Bridge Saw for clean, accurate cuts. For smaller tasks or detailed work, Vitrex Hand Held Cutting Tools offer the control and versatility needed on the job.



STEP 3 SHAPE

SHAPE TILES TO DIFFICULT AREAS

PAGE 8

Tile shaping tools are vital for delivering precision and a professional finish on every install. Our range includes Profile Gauges for accurately marking and transferring complex cuts around fixtures and edges, and robust Tile Nippers for making controlled adjustments and shaping detailed areas. Designed for daily trade use, these tools help save time on-site while maintaining accuracy and finish quality.



STEP 4 FIX

FIX TILES IN PLACE

PAGES 9 - 13

Fixing tools play a key role in the setting stage, helping you achieve a secure, accurate tile installation. Our range includes adhesive trowels in a variety of notch sizes and profiles to suit different tile formats and substrates. For consistent joints and clean lines, Vitrex Long Leg Spacers (available in 2mm-5mm) ensure precise tile alignment and a professional finish every time.



STEP 5 FINISH

GROUT AND CLEAN UP

PAGE 14 - 15

Tile finishing tools are key to delivering a clean, professional finish in the final stage of installation. Grout Floats are built for pushing grout deep into joints while ensuring a smooth, even surface across both wall and floor applications. Designed for durability and control, these tools help speed up the finishing process without compromising on quality.

COMING SOON - NEW PRODUCTS

PAGES 16 - 19

Exciting new products being developed and arriving soon!

STEP 1



PREPARE

MIXPLUS MIXPLUSIND POWER MIXER 110V / 230V

- Powerful high torque motor for more efficient mixing
- Ergonomic handle to minimise fatigue
- Variable speed for greater control
- Safety on/off switch with lock-on function for continuous running
- Thermal overload protection for increased safety
- 140mm mixing paddle - mixes up to 120L
- Robust carry case for ease of transportation



SPECIFICATIONS	MIXPLUS	MIXPLUSIND
Power Supply	230v / 50Hz	110v / 50Hz
Motor	1600w	1400w
No. of Gears	2	2
Speed (no load)	180-460/300-750rpm	180-460/300-750rpm
Mixing Paddle	Ø140mm	Ø140mm

LRS700 LRS700IND LONG REACH SANDER 110V / 230V

- Powerful 600w motor ensures efficient power transfer to the sanding pad for smooth operation
- Variable speed ensures constant control
- 110cm short reach for use in confined areas
- Extension arm enables 165cm full working length for sanding high walls and ceilings
- Robust drive system ensures a long service life
- Double dust extraction (brush outer ring and 8-hole internal dust extraction) ensures a clean working area and prevents clogging of the abrasive surface
- 225mm diameter sanding discs
- Connect to vacuum cleaner for full dust extraction
- Folds into storage case for ease of transportation
- Interchangeable triangular head (available separately)



SPECIFICATIONS	LRS700	LRS700IND
Power Supply	230v / 50Hz	110v / 50Hz

PROCHS100 CHISEL SCRAPER

- Ideal for removing tiles and residue from most surfaces
- Hammer end for quick strike use on stubborn materials
- Removable head for pole extension
- 75mm stainless steel blade



PROTAS100 TILE ADHESIVE SCRAPER

- For scraping residue off subfloors, windows and walls
- Great for wallpaper removal
- Removable head for pole extension
- Complete with 100mm blade



GR100VT GROUT REMOVER TOOL

- Use to remove unwanted grout, calcium or mortar
- Co-moulded plastic handle with non-slip, rubber grip for comfortable repeat use
- Double-sided head with 3 durable carbide tips
- Includes 2mm, 2.5mm and 3mm tips



102422 HEAVY DUTY GROUT RAKE

- For removing old and discoloured grout
- Tungsten Carbide grit edged blade for longer life
- Includes twin pack blades



Designed to easily remove old, dirty or pitted grout. The ergonomic handle helps minimise hand fatigue during repeat use. Designed to obtain exceptional leverage and accuracy, its durable handle provides increased control and comfort.



Quick release button for
blade storage holder

Co-moulded plastic handle with non-slip,
rubber grip for comfortable repeat use

Blade storage in handle
Holds up to 2 blades

Industrial grade blade designed to
aggressively remove the hardest grout



Scan the code for more information




STEP 2



CUT

BRS001 VERSATILE POWER BRIDGE SAW - 900W

- Fully adjustable angle guide for diagonal tile cuts from 0-45°
- Oversized 'bench style' slotted aluminium cutting table with integral drainage
- Direct drive motor has a thermal overload protection to prevent overheating and produces constant cutting speed for ultra smooth cuts
- Sliding ruler and locking mitre guide for perfect straight cuts
- Sturdy folding leg supports and detachable lower shelf
- Dual water feed increases blade life
- Large water tray with submersible pump which delivers water to cutting wheel for essential cooling
- Convenient built-in carry handles and adjustable wheels for easy repositioning and transporting between jobs
- Cuts with a Ø200mm blade
- Cuts all floor and wall tile types




SPECIFICATIONS	BRS001
Power Supply	240v / 50Hz
RPM (no load)	2950
Bore	25.4mm
Maximum Cut Depth	35mm
Maximum Straight Cut	650mm
Maximum Diagonal Cut	460mm
Maximum Sound Level	110dB



103420 103421 VERSATILE POWER PRO 750 240V / 110V

- Direct drive produces a constant cutting speed for ultra smooth cuts
- Automatic overload protection to prevent overheating
- Ø180 x 16mm diamond blade with continuous rim for extra clean cuts
- Extra large cast aluminium cutting table for supporting large format tiles
- Cutting table tilts for 15°, 30° and 45° mitres
- Water cooling system with large reservoir and integral drainage
- Transparent wheel guard with variable height adjustment
- Moulded plug with 1.5m cable
- Convenient built-in carry handle and cable tidy
- Black carrier is reversible for both 16mm and 22mm bore sizes
- Cuts all floor and wall tile types




SPECIFICATIONS	103420	103421
Power Supply	230v / 50Hz	110v / 50Hz
Motor	750W	750W
RPM (no load)	2800	2800
Maximum Cut Depth	25mm	25mm
Maximum Straight Cut	Any	Any
Maximum Diagonal Cut	Any	Any



102390 900MM HEAVY DUTY PRO TILE CUTTER

- Compact and lightweight, with a rigid aluminium construction and adjustable cutting guide
- Suitable for cutting wall, floor and ceramic tiles up to 13mm thick
- Simple 'score and snap' operation
- Tungsten carbide cutting wheel (Replacement available)

SPECIFICATIONS	102390
Cutting Depth	13mm
Straight Cut Size	900mm
Angled Cut Size	610mm

**102380 630MM PRO TILE CUTTER**

- Compact and lightweight, with a rigid aluminium construction and adjustable cutting guide
- Cuts tiles up to 630mm long, diagonal cuts on tiles up to 445mm square
- Suitable for cutting wall, floor and ceramic tiles up to 13mm thick
- Simple 'score and snap' operation
- Tungsten carbide cutting wheel

SPECIFICATIONS	102380
Cutting Depth	13mm
Straight Cut Size	630mm
Angled Cut Size	445mm

**MTC630 630MM TILE CUTTER**

- For cutting floor ceramic tiles up to 630mm
- Professional heavy duty cutter with interior bearings for high precision
- Max cutting length 630mm
- Cuts tiles up to 13mm thick
- Tungsten Carbide cutting wheel 22 x 10.5 x 2mm

SPECIFICATIONS	MTC630
Cutting Depth	13mm
Straight Cut Size	630mm
Angled Cut Size	445mm

**101500 PRO SERIES HEAVY DUTY TILE CUTTER**

- Premium quality 200mm tile cutters with carbide tips
- Manufactured from drop-forged steel with a 15mm offset jaw
- The cutter operates on a simple 'score and snap' action and can be used with ceramic, marble, quarry, terracotta and slate tiles

**VIT6DDB VIT7DDB VIT8DDB VIT678DDB DRY DIAMOND DRILL BITS & KIT**

- Dry Diamond Drill Bits 6mm, 7mm and 8mm
- Ideal for drilling holes in hard tiles and stone
- Suitable for use with most grinders with a standard M14 thread
- Wax filled for added cooling

PART NUMBER	DRILL SIZE
VIT6DDB	6mm
VIT7DDB	7mm
VIT8DDB	8mm
VIT678DDB	6 (x2), 7, 8mm & Arbor



For accuracy use with Vitrex drill guide



STEP 3



SHAPE

103200 PROFILE GAUGE

- Ideal for tiling, wallpaper, laying carpet, vinyl, aligning laminate flooring or LVT
- Quick and easy way to copy awkward shapes
- Lockable for accurate tracing
- Durable plastic teeth will not rust or deform over time
- Saves costly mistakes



Add two together for bigger shapes



102445 PROFESSIONAL TILE NIPPER

- Rugged forged steel body, grounded and polished 16mm offset jaws
- Professional quality 200mm carbide tipped
- Cushion grip leverage handles




STEP 4



FIX

102970 102957 102971 102909 PROFESSIONAL ADHESIVE TROWELS SQUARE


- Large, contoured handle with soft grip to ensure comfort for prolonged use
- 115 x 280mm base
- Rust resistant stainless steel blade
- Longer solid aluminium shank with 12 rivets
- Designed for use by the professional installer



PART NUMBER	SIZE
102970	4mm Square
102957	6mm Square
102971	8mm Square
102909	10mm Square

102906 PROFESSIONAL ADHESIVE TROWEL ROUND

- Large, contoured handle with soft grip to ensure comfort for prolonged use
- 115 x 280mm base
- High quality stainless steel blade for improved durability
- Solid aluminium shank with 9 rivets for a longer product life
- Designed for the application of adhesive prior to the setting of wall or floor tiles



PART NUMBER	SIZE
102906	10 x 20mm Round

BS001 BUCKET SCOOP

- Stainless Steel Blade
- Comfort grip handle
- Made of corrosion resistant stainless steel
- The scoop is designed to effectively scoop materials from most round buckets



CORK HANDLED XL TROWEL

The Cork Handle XL Trowel features a cork infused handle, engineered for better customer exposure, improving the non-slip properties of the handle. The extra handle-to-shank to easily apply grout on tiles.

PART NUMBER	SIZE
CORKT66	6mm Square Notch
CORKT1212	12mm Square Notch

6mm and 12mm
Square profiles

Rust resistant stainless steel blade

Premium logo etching

NEW

THE ADHESIVE TROWELS

tion and anti-slip use. The more this trowel is used, the more cork becomes
x distance allows for maximum hand clearance and added comfort. Use this trowel

Cork comfort grip for better
cushion and anti-slip in the hand

Extra handle-to-shank distance allows maximum hand clearance

250mm shank with 13 rivets for maximum strength

Extra large blade
305mm x 115mm

BT001 NOTCHED MARGIN TROWEL

- Co-moulded plastic handle and rubber grip for comfortable repeat use
- For hard to reach areas
- Bucket hook for easy storage
- Made from tempered steel for durability

PART NUMBER	SIZE
BT001	6mm Square



MT001 MARGIN TROWEL

- Co-moulded plastic handle and rubber grip for comfortable repeat use
- For hard to reach areas
- Bucket hook for easy storage
- Ground, tempered and hardened steel for durability

PART NUMBER	SIZE
MT001	150 x 50mm



LONG LEG TILE SPACERS

- The easy way to achieve a more professional tiling finish
- Easier to handle than standard tile spacers
- Breakable legs for T-shape spacers
- 15mm leg length
- Sold in bags or tubs

PART NUMBER	SIZE	QUANTITY
LLS2250	2mm	250
LLS2500	2mm	500
LLS21500	2mm	1500
LLS22000	2mm	2000
LLS3250	3mm	250
LLS3500	3mm	500
LLS31500	3mm	1500
LLS4250	4mm	250
LLS5250	5mm	250



RMAL001 XL MALLET

- Large 453g mallet head spreads force across the flooring to move it during installation
- White rubber prevents marring or damaging of tiles and other surfaces
- Co-moulded plastic handle with rubber grip handle for comfortable repeat use
- Chamfered edges maximise contact with subfloors when positioning flooring
- Firm mallet head reduces bounce back for safer use



Vacuum Pump Suction Cup for large format tiles is expertly manufactured to lift, move and position non-porous materials. It features a 200mm diameter heavy-duty vacuum suction cup with 110kg maximum lifting capacity



Scan the code for more information



Includes carry case

STEP 5



FINISH

MBF001 MARGIN FLOAT WITH BUCKET HOOK

- Gum Rubber Pad
- Non-stick pad for smooth application and easy cleaning
- Bucket hook for easy storage
- Durable steel backing



102902 SOFT GRIP MARGIN FLOAT

- 'Soft Grip' handle for extra comfort
- Latex face laminated to a lightweight foam core
- Ideal for grouting in difficult to reach and awkward spaces



PTS001 PROFESSIONAL TILING SPONGE

- Holds 4x more liquid
- Heavy duty, extra large premium sponge
- For tiling, grout clean-up, plastering and drywall wipe down
- Unique hydrophilic design
- Rounded edges minimise digging out or marring of grout



102925 PROFESSIONAL TILE WASH KIT

- Ideal for quick wash down of grouted tiles on larger projects
- Lightweight float with premium quality segmented foam sponge to grab and remove grout residue
- Removable grout grate
- Two integral rollers
- 23 litre bucket



Maxi-Flex Grout Float can be used with all types of grout and tile, making it a versatile tool for your installation projects. Designed with both precision square corners and precision round corners, this grout float will not mar or scratch tile. The comfortable handle works well in either the left or right hand.



Non slip comfortable contoured and cushioned handle

Rinse with water after use for easy clean up

Precision square corners ensure complete coverage

Soft body provides maximum flexibility and leverage for working grout into tile joints

255mm x 100mm, epoxy resistant non-stick rubber body

Precision round corners to prevent gouging



Scan the code for more information



BRS800 800W BRIDGE SAW

- Cuts all floor and wall tile types
- 800 Watt power
- Fully adjustable angle guide for diagonal tile cuts from 0-45°



XTC630 630MM MANUAL TILE CUTTER

- Features the PERFECT CUT System
- Cuts ceramic and porcelain up to 13mm thick
- Fully adjustable angle guide for diagonal tile cuts from 0-45°
- Clear view cut and magnetic breaker



2 STEPS FOR THE PERFECT CUT

1. Push carriage until it reaches front end cap
2. Snap tile in the optimum breaking position



XTC900 900MM MANUAL TILE CUTTER

- Features the PERFECT CUT System
- Cuts ceramic and porcelain up to 13mm thick
- Fully adjustable angle guide for diagonal tile cuts from 0-45°
- Clear view cut and magnetic breaker



2 STEPS FOR THE PERFECT CUT

1. Push carriage until it reaches front end cap
2. Snap tile in the optimum breaking position



PTDD115 PRO THIN DIAMOND DISC

- For use with angle grinder
- Suitable for wet and dry cutting
- Cuts ceramic and porcelain



FBBC001 FOLDING BACKER BOARD CUTTER

- Carbide Tip Blades
- Designed to score all types of backer boards
- Strong, lightweight aluminium handle



SBLOCK60, SBLOCK120, SBLOCK200, SBLOCK400 DIAMOND SANDING BLOCKS

- Available in 4 choices of Grit
- 60 Course, 120 Medium, 200 Fine, 400 Polishing
- Superior brazed diamond bonding
- Ideal for hard to reach places & corners
- Flexible, lightweight foam material for comfortable use



DSC001 DOUBLE SUCTION CUP

- 79 Kg holding power when used on clean, smooth, non-porous surfaces
- Double suction cups to lift, position and set large format tile
- Simple single hand operation



PTC001 PRO TROWEL CLEANER

- Patented Design
- Stiff nylon bristles agitate material left behind on the trowel
- Integrated scraper on both sides to remove debris



LASHSK2 LASHSK3 LASH SPIN SYSTEMS

- Tile levelling system
- Reusable caps and bases
- 2mm or 3mm grout lines for tiles up to 15mm thick



THE COMPLETE DISPLAY STAND FOR THE PROFESSIONAL USER



- For Illustration purposes only
- Please contact your account manager for further details



v1



The Maltsters,
Wetmore Road,
Burton upon Trent
DE14 1LS UK

Telephone: +44 (0) 1283 245 430

Email: sales@qepuk.com

www.vitrex.co.uk

A QUALITY BRAND OF
QEP